

RECEIVED

FEB 19 P 2:45

CORRESPONDENCE  
CONTROL

## STATE OF COLORADO

CORRES. CONTROL  
INCOMING LTR NO.Bill Owens, Governor  
Douglas H. Benevento, Executive Director

Dedicated to protecting and improving the health and environment of the people of Colorado

4300 Cherry Creek Dr. S.  
Denver, Colorado 80246-1530  
Phone (303) 692-2000  
TDD Line (303) 691-7700  
Located in Glendale, ColoradoLaboratory and Radiation Services Division  
8100 Lowry Blvd.  
Denver, Colorado 80230-6928  
(303) 692-3090<http://www.cdphe.state.co.us>Colorado Department  
of Public Health  
and EnvironmentDUE DATE  
ACTION

DIST.	LTR	ENC
BERARDINI, J. H.	X	
BOGNAR, E. S.	X	
CROCKETT, G. A.		
DECK, C. A.	X	
DEGENHART, K. R.		
DIETER, T. J.		
DIETERLE, S. E.		
FERRERA, D. W.	X	
FERRI, M. S.		
GERMAN, A. L.		
GIACOMINI, J. J.		
ISOM, J. H.		
LINDSAY, D. C.	X	
LONG, J. W.		
LYLE, J. L.		
MARTINEZ, L. A.	X	
NAGEL, R. E.	X	
NORTH, K.	X	
PARKER, A. M.	X	
POWERS, K. P.		
RODGERS, A. D.		
SHELTON, D. C.	X	
SPEARS, M. S.		
TRICE, K. D.		
TUOR, N. R.	X	
WILLIAMS, J. L.		
FREIBOTH, C.	X	
BUTLER, L.	X	
BROOKS, L.	X	

COR. CONTROL	X	X
ADMN. RECORD	X	
PATS/130		

Reviewed for Addressee  
Corres. Control RFP2/19/03  
Dateby  
Bj

Ref. Ltr. #

DOE ORDER #

5400-1

February 11, 2003

Mr. Richard J. DiSalvo

Acting Assistant Manager for Environment and Stewardship

U.S. Department of Energy, Rocky Flats Field Office

10808 Highway 93, Unit A


Golden, CO 80403-8200

RE: Notification by Rocky Flats Environmental Technology Site (RFETS) to invoke the *Rocky Flats Cleanup Agreement Standard Operating Protocol (RSOP) for Facility Disposition* for Demolition of Buildings 449A and 453

Dear Mr. DiSalvo:

The Colorado Department of Public Health and Environment, Hazardous Materials and Waste Management Division (the "Division"), has reviewed your February 10, 2003 letter and accompanying notification package received on the same day, notifying us of your intent to utilize the *RSOP for Facility Disposition* for the demolition of Buildings 449A and 453. The Division has also reviewed your letter dated February 5, 2003 documenting the follow-up characterization of the overhead structures inside Building 449A for beryllium and the decontamination activities and post-decontamination sampling results for beryllium in Building 453. Based on this additional characterization information and the information provided in the previously submitted *RFETS Reconnaissance Level Characterization Report (RLCR) for the 444 Cluster Closure Project Buildings 427, 449, 449A, 449C, S449, 453, 454 & 457 Pad (Revision 0, dated September 23, 2002)*, the Division hereby concurs that the characterization of Buildings 449A (except for the beryllium contaminated cargo container on the west side of this structure) and 453 meet the requirements of a Pre-Demolition Survey (PDS) and that these buildings meet the unrestricted release criteria specified in the *RSOP for Facility Disposition*. Demolition of Buildings 449A and 453 may proceed in accordance with the requirements of the *RSOP for Facility Disposition*, except that the beryllium contaminated cargo container located on the west side of Building 449A must be disposed of appropriately as beryllium contaminated waste. If you have any questions regarding this correspondence please contact me at (303) 692-3367 or James Hindman at (303) 692-3345.

Sincerely,

  
Steven H. Gunderson  
RFCA Project Coordinator

cc: Steven Tower, DOE, RFFO  
Cameron Freiboth, KH  
Tim Rehder, EPA  
Dave Shelton, KH  
Dan Miller, AGO  
~~Administrative Records Building B130G~~



ADMIN RECORD

DOCUMENT CLASSIFICATION  
REVIEW WAIVER PER  
CLASSIFICATION OFFICE

B444-A-000041